

33792:	.Y.	205 89 199	CALL	51033
33795:	.2.	205 50 198	CALL	50738
33798:	!..	33 4 4	LD	HL,1028
33801:	...	17 0 128	LD	DE,32768
33804:	>.	62 16	LD	A,16
33806:	.	229	PUSH	HL
33807:	.	213	PUSH	DE
33808:	...	205 11 199	CALL	50955
33811:	.	209	POP	DE
33812:	.	225	POP	HL
33813:	\$	36	INC	H
33814:	.	8	EX	AF,AF'
33815:	y	121	LD	A,C
33816:	..	198 8	ADD	A,8
33818:	0	79	LD	C,A
33819:	.	8	EX	AF,AF'
33820:	...	205 11 199	CALL	50955
33823:	.2.	205 50 198	CALL	50738
33826:	!..	33 4 8	LD	HL,2052
33829:	...	17 18 128	LD	DE,32786
33832:	>.	62 16	LD	A,16
33834:	.	229	PUSH	HL
33835:	.	213	PUSH	DE
33836:	...	205 11 199	CALL	50955
33839:	.	209	POP	DE
33840:	.	225	POP	HL
33841:	\$	36	INC	H
33842:	.	8	EX	AF,AF'
33843:	y	121	LD	A,C
33844:	..	198 8	ADD	A,8
33846:	0	79	LD	C,A
33847:	.	8	EX	AF,AF'
33848:	...	205 11 199	CALL	50955
33851:	.2.	205 50 198	CALL	50738
33854:	!..	33 9 12	LD	HL,3081
33857:	.#.	17 35 128	LD	DE,32803
33860:	>.	62 16	LD	A,16
33862:	.	229	PUSH	HL
33863:	.	213	PUSH	DE
33864:	...	205 11 199	CALL	50955
33867:	.	209	POP	DE
33868:	.	225	POP	HL
33869:	\$	36	INC	H
33870:	.	8	EX	AF,AF'
33871:	y	121	LD	A,C
33872:	..	198 8	ADD	A,8
33874:	0	79	LD	C,A
33875:	.	8	EX	AF,AF'
33876:	...	205 11 199	CALL	50955
33879:	.2.	205 50 198	CALL	50738
33882:	!..	33 8 16	LD	HL,4104
33885:	.'.	17 39 128	LD	DE,32807
33888:	>.	62 16	LD	A,16
33890:	.	229	PUSH	HL
33891:	.	213	PUSH	DE
33892:	...	205 11 199	CALL	50955
33895:	.	209	POP	DE
33896:	.	225	POP	HL
33897:	\$	36	INC	H

Clear Display

LARGE
TEXT

33898:	.	8	EX	AF, AF'	
33899:	y	121	LD	A, C	
33900:	..	198 8	ADD	A, 8	
33902:	0	79	LD	C, A	
33903:	.	8	EX	AF, AF'	
33904:	...	205 11 199	CALL	50955	
33907:	.2.	17 50 129	LD	DE, 33074	Smart Keys + message Line
33910:	!..	33 44 128	LD	HL, 32812	
33913:	..	6 2	LD	B, 2	
33915:	.^.	205 94 197	CALL	50526	
33918:	.K.	205 75 252	CALL	64587	
33921:	.1.	205 108 252	CALL	64620	
33924:	..	254 133	CP	133	
33926:	.	32 5	JR	NZ, 33933	
33928:	...	205 137 199	CALL	51081	TINK SOUND
33931:	..	24 241	JR	33918	
33933:	..	254 132	CP	132	
33935:	.	32 5	JR	NZ, 33942	
33937:	...	205 170 199	CALL	51114	DING SOUND
33940:	..	24 232	JR	33918	
33942:	..	254 131	CP	131	
33944:	.	32 5	JR	NZ, 33951	
33946:	...	205 219 199	CALL	51163	ERROR SOUND
33949:	..	24 223	JR	33918	
33951:	..	254 130	CP	130	
33953:	.	32 5	JR	NZ, 33960	
33955:	...	205 241 199	CALL	51185	BACKUP SOUND
33958:	..	24 214	JR	33918	
33960:	..	254 134	CP	134	
33962:	.	32 210	JR	NZ, 33918	
33964:	.Y.	205 89 199	CALL	51033	
33967:	.2.	17 50 129	LD	DE, 33074	
33970:	!U.	33 85 128	LD	HL, 32853	
33973:	..	6 3	LD	B, 3	
33975:	...	205 246 193	CALL	49654	
33978:	..	254 3	CP	3	
33980:	.	32 30	JR	NZ, 34012	
33982:	.2.	205 50 198	CALL	50738	
33985:	!..	33 8 10	LD	HL, 2568	
33988:	.'	17 39 128	LD	DE, 32807	
33991:	>.	62 16	LD	A, 16	
33993:	.	229	PUSH	HL	LARGE TEXT
33994:	.	213	PUSH	DE	
33995:	...	205 11 199	CALL	50955	
33998:	.	209	POP	DE	
33999:	.	225	POP	HL	
34000:	\$	36	INC	H	
34001:	.	8	EX	AF, AF'	
34002:	y	121	LD	A, C	
34003:	..	198 8	ADD	A, 8	
34005:	0	79	LD	C, A	
34006:	.	8	EX	AF, AF'	
34007:	...	205 11 199	CALL	50955	
34010:	..	24 211	JR	33967	
34012:	..	254 4	CP	4	
34014:	.	32 11	JR	NZ, 34027	
34016:	...	17 8 14	LD	DE, 3592	SMALL TEXT
34019:	!'	33 39 128	LD	HL, 32807	
34022:	...	205 211 197	CALL	50643	
34025:	..	24 196	JR	33967	

34027:	..	254 5	CP	5
34029:	.	32 13	JR	NZ, 34044
34031:	>.	62 16	LD	A, 16
34033:	!..	33 8 18	LD	HL, 4616
34036:	.'.	17 39 128	LD	DE, 32807
34039:	...	205 2 199	CALL	50946
34042:	..	24 179	JR	33967
34044:	.Y.	205 89 199	CALL	51033
34047:	.2.	17 50 129	LD	DE, 33074
34050:	!..	33 130 128	LD	HL, 32898
34053:	..	6 4	LD	B, 4
34055:	...	205 246 193	CALL	49654
34058:	..	254 4	CP	4
34060:	.	32 10	JR	NZ, 34072
34062:	>.	62 1	LD	A, 1
34064:	!>.	33 62 129	LD	HL, 33086
34067:	...	205 229 195	CALL	50149
34070:	..	24 231	JR	34047
34072:	..	254 5	CP	5
34074:	.	32 10	JR	NZ, 34086
34076:	>.	62 1	LD	A, 1
34078:	!C.	33 67 129	LD	HL, 33091
34081:	...	205 229 195	CALL	50149
34084:	..	24 217	JR	34047
34086:	.Y.	205 89 199	CALL	51033
34089:	.2.	17 50 129	LD	DE, 33074
34092:	!..	33 158 128	LD	HL, 32926
34095:	..	6 5	LD	B, 5
34097:	...	205 246 193	CALL	49654
34100:	..	254 5	CP	5
34102:	.	32 16	JR	NZ, 34120
34104:	>.	62 1	LD	A, 1
34106:	..	6 8	LD	B, 8
34108:	...	17 16 0	LD	DE, 16
34111:	!..	33 0 4	LD	HL, 1024
34114:	...	205 195 195	CALL	50115
34117:	.).	195 41 133	JP	34089
34120:	.Y.	205 89 199	CALL	51033
34123:	.2.	17 50 129	LD	DE, 33074
34126:	!..	33 177 128	LD	HL, 32945
34129:	..	6 4	LD	B, 4
34131:	.^.	205 94 197	CALL	50526
34134:	.K.	205 75 252	CALL	64587
34137:	.I.	205 108 252	CALL	64620
34140:	..	254 133	CP	133
34142:	(C	40 67	JR	Z, 34211
34144:	..	254 134	CP	134
34146:	...	202 219 133	JP	Z, 34267
34149:	..	254 132	CP	132
34151:	(.	40 2	JR	Z, 34155
34153:	..	24 235	JR	34134
34155:	.2.	17 50 129	LD	DE, 33074
34158:	!..	33 204 128	LD	HL, 32972
34161:	..	6 6	LD	B, 6
34163:	.^.	205 94 197	CALL	50526
34166:	>	62 32	LD	A, 32
34168:	20.	50 79 195	LD	(49999), A
34171:	>.	62 128	LD	A, 128
34173:	2S.	50 83 195	LD	(50003), A
34176:	>.	62 16	LD	A, 16

STANDARD
TEXT

LINE
+
BOX
Plotter

Fill
Area

34178:	!..	33 186 179	LD	HL,46010
34181:	...	17 2 16	LD	DE,4098
34184:	...	1 11 0	LD	BC,11
34187:	.f.	205 102 195	CALL	50022
34190:	.L.	205 76 198	CALL	50764
34193:	...	205 24 195	CALL	49944
34196:	B.	56 248	JR	C,34190
34198:	..	254 134	CP	134
34200:	(.	40 6	JR	Z,34208
34202:	..	254 142	CP	142
34204:	(.	40 2	JR	Z,34208
34206:	..	24 238	JR	34190
34208:	.H.	195 72 133	JP	34120
<hr/>				
34211:	.2.	17 50 129	LD	DE,33074
34214:	!..	33 204 128	LD	HL,32972
34217:	..	6 6	LD	B,6
34219:	.^.	205 94 197	CALL	50526
<hr/>				
34222:	>	62 32	LD	A,32
34224:	20.	50 79 195	LD	(49999),A
34227:	>.	62 128	LD	A,128
34229:	2S.	50 83 195	LD	(50003),A
34232:	>.	62 16	LD	A,16
34234:	!..	33 186 179	LD	HL,46010
34237:	...	17 2 16	LD	DE,4098
34240:	...	1 11 0	LD	BC,11
34243:	...	205 133 195	CALL	50053
34246:	.L.	205 76 198	CALL	50764
34249:	.).	205 41 195	CALL	49961
34252:	B.	56 248	JR	C,34246
34254:	..	254 134	CP	134
34256:	(.	40 6	JR	Z,34264
34258:	..	254 142	CP	142
34260:	(.	40 2	JR	Z,34264
34262:	..	24 238	JR	34246
34264:	.H.	195 72 133	JP	34120
<hr/>				
34267:	.2.	17 50 129	LD	DE,33074
34270:	!..	33 213 128	LD	HL,32981
34273:	..	6 3	LD	B,3
34275:	...	205 246 193	CALL	49654
<hr/>				
34278:	..	254 3	CP	3
34280:	(.	40 27	JR	Z,34309
34282:	..	254 4	CP	4
34284:	.	32 7	JR	NZ,34293
34286:	>.	62 8	LD	A,8
34288:	...	205 227 193	CALL	49635
34291:	..	24 230	JR	34267
34293:	..	254 5	CP	5
34295:	.	32 28	JR	NZ,34325
34297:	...	205 11 194	CALL	49675
34300:	(.	40 2	JR	Z,34304
34302:	..	24 219	JR	34267
34304:	.S.	205 83 190	CALL	48723
34307:	..	24 214	JR	34267
34309:	.w.	205 119 198	CALL	50807
34312:	!..	33 204 128	LD	HL,32972
34315:	..	6 6	LD	B,6
34317:	.q.	205 113 197	CALL	50545
34320:	.L.	205 76 198	CALL	50764
34323:	..	24 198	JR	34267
34325:	>.	62 16	LD	A,16

STANDARD
TEXT
ENTRY

SMALL
TEXT
ENTRY

ERROR
ROUTINE

DEVICE
SELECT
&
FILE
CARD

34327:	!..	33 8 18	LD	HL,4616
34330:	.?	17 39 128	LD	DE,32807
34333:	...	205 2 199	CALL	50946
34336:	.2.	17 50 129	LD	DE,33074
34339:	!..	33 6 129	LD	HL,33030
34342:	..	6 3	LD	B,3
34344:	...	205 246 193	CALL	49654
34347:	..	254 3	CP	3
34349:	.	32 5	JR	NZ,34356
34351:	.Y.	205 89 199	CALL	51033
34354:	..	24 236	JR	34336
34356:	..	254 4	CP	4
34358:	.	32 5	JR	NZ,34365
34360:	.b.	205 98 199	CALL	51042
34363:	..	24 8	JR	34373
34365:	..	254 5	CP	5
34367:	...	194 0 132	JP	NZ,33792
34370:	.1.	205 108 199	CALL	51052
34373:	>.	62 16	LD	A,16
34375:	!..	33 8 18	LD	HL,4616
34378:	.H.	17 72 129	LD	DE,33096
34381:	...	205 2 199	CALL	50946
34384:	.L.	205 76 198	CALL	50764
34387:	..	24 203	JR	34336
34389:	.	0	NOP	
34390:	.	0	NOP	

clear display

clear message line

clear smart key area

32768:	SmartDSK	83	109	97	114	116	68	83	75
32776:	Extende	32	69	120	116	101	110	100	101
32784:	d.Operat	100	3	79	112	101	114	97	116
32792:	ing Syst	105	110	103	32	83	121	115	116
32800:	em.For.A	101	109	3	70	111	114	3	65
32808:	dam.Soun	100	97	109	3	83	111	117	110
32816:	d 1.Soun	100	32	49	3	83	111	117	110
32824:	d 2.Soun	100	32	50	3	83	111	117	110
32832:	d 3.Soun	100	32	51	3	83	111	117	110
32840:	d 4.Cont	100	32	52	3	67	111	110	116
32848:	inue.Lar	105	110	117	101	3	76	97	114
32856:	ge.Text.	103	101	13	84	101	120	116	3
32864:	Small.Te	83	109	97	108	108	13	84	101
32872:	xt.Stand	120	116	3	83	116	97	110	100
32880:	ard.Text	97	114	100	13	84	101	120	116
32888:	.Continu	3	67	111	110	116	105	110	117
32896:	e.Draw.L	101	3	68	114	97	119	13	76
32904:	ine.Draw	105	110	101	3	68	114	97	119
32912:	.Box.Con	13	66	111	120	3	67	111	110
32920:	tinue.Fi	116	105	110	117	101	3	70	105
32928:	ll.Area.	108	108	13	65	114	101	97	3
32936:	Continue	67	111	110	116	105	110	117	101
32944:	.Entry.S	3	69	110	116	114	121	13	83
32952:	tandard.	116	97	110	100	97	114	100	3
32960:	Entry.Sm	69	110	116	114	121	13	83	109
32968:	all.Cont	97	108	108	3	67	111	110	116
32976:	inue.One	105	110	117	101	3	79	110	101
32984:	.Moment.	13	77	111	109	101	110	116	3
32992:	Error.Ro	69	114	114	111	114	13	82	111
33000:	utinue.S	117	116	105	110	117	101	3	83
33008:	elect.De	101	108	101	99	116	13	68	101
33016:	vice.Con	118	105	99	101	3	67	111	110
33024:	tinue.Cl	116	105	110	117	101	3	67	108
33032:	ear.Disp	101	97	114	13	68	105	115	112
33040:	lay.Clea	108	97	121	3	67	108	101	97
33048:	r.Line.C	114	13	76	105	110	101	3	67
33056:	lear.Bar	108	101	97	114	13	66	97	114
33064:	.Continu	3	67	111	110	116	105	110	117
33072:	e. Demo	101	3	32	32	68	101	109	111
33080:	Menu...	32	77	101	110	117	3	8	4
33088:	-----	45	0	0	12	4	45	45	0
33096:	Push Any	80	117	115	104	32	65	110	121
33104:	Key....	32	75	101	121	3	0	0	0
33112:	0	0	0	0	0	0	0	0
33120:	0	0	0	0	0	0	0	0
33128:	0	0	0	0	0	0	0	0
33136:	0	0	0	0	0	0	0	0
33144:	0	0	0	0	0	0	0	0

ASCII